

# WVC05

## SKC Window Film

### Advantage -

1. Increase personal privacy
2. Better eye comfort
3. Great maintenance with less scratch
4. Long life indoor fabric from fading

Clear Hard-Coating

Chip-Dyed PET Film ( $36 \pm 1 \mu\text{m}$ )

UV-Cut PSA

Silicone Release Film ( $23 \mu\text{m}$ )

Visible Light Transmitted		6%	ASTM E424 KS L 2016
Visible Light Reflected	External	5%	ASTM E424 KS L 2016
	Internal	4%	
Solar Heat Reduction		36%	ASTM E424
Solar Heat	Reflected	6%	ASTM E424 KS L 2016
	Absorbed	52%	
	Transmitted	42%	
UV Rejected		99%↑	ASTM E424
Total Solar Energy Rejected (TSER)		44%	ASTM E424

Thickness	1.5Mil/1Ply	
Shading Coefficient	0.64	ASTM E424
Solar Heat Gain Coefficient (SHGC)	0.56	ASTM E424
Scratch Resistant	>2H	ASTM D3363
Haze	0.5%	ASTM D1003
Adhesion of Hard-Coated Surface	5B (0% peel-off)	ASTM D3359